Haier

Haier 3D 70 Serie 5 HTR5719ENPT Libera installazione 528 L E Nero



Marchio : Haier

Famiglia del prodotto: 3D 70 Serie 5

Codice prodotto: 34005233

Nome del prodotto :
HTR5719ENPT

Haier 3D 70 Serie 5 HTR5719ENPT. Capacità netta totale: 528 L. Cerniera porta: Destra. Classe climatica: T, Emissione acustica: 38 dB. Capacità netta frigorifero: 354 L, No Frost (frigorifero), Sistema Multi-Airflow (frigorifero), Luce interna. Capacità netta congelatore: 174 L, Capacità di congelamento: 12 kg/24h, No Frost (congelatore). Compartimento zona fresca. Classe efficienza energetica: E, Consumo energetico annuo: 329 kWh. Colore del prodotto: Nero



Design	
Appliance placement *	Freestanding
Product colour *	Black
Door hinge	Right
Reversible doors	✔
Child lock	✔
Built-in display *	✔
Shelves material	Glass
Adjustable shelves	✔
Shelf finish type	Silver frame
Door balconies material	Plastic
Number of adjustable shelves	3
Recessed handle(s)	✔

Performance	
Total net capacity *	528 L
Climate class *	T
Noise emission class *	C
Noise level *	38 dB
Icemaker *	✘
Holiday function	✔
Adjustable thermostat	✔

Fridge	
Fridge net capacity *	354 L
Fridge interior light	✔

Fridge	
Smart Cool function	✔

Freezer	
Freezer position *	Bottom-placed
Freezer net capacity *	174 L
Freezing capacity *	12 kg/24h
Storage time during power failure *	9 h
Star rating *	4*
No Frost (freezer) *	✔
Automatic defrost (freezer)	✔
Freezer number of shelves/baskets *	2
Freezer drawers quantity	2
Fast freeze function *	✔
Ice cube tray	✔

Fresh zone	
Fresh zone compartment *	✔

Ergonomics	
Door open alarm	✔

Power	
Energy efficiency scale	A to G
Energy efficiency class *	E
Annual energy consumption *	329 kWh

Fridge	
Lamp type	LED
No Frost (fridge) *	✔
Automatic defrost (fridge)	✔
Multi-Airflow system (fridge) *	✔
Fridge number of shelves/baskets *	3
Number of removable shelves	3
Number of vegetable drawers *	1
Fridge door balconies	3
Egg balcony	✔
Number of egg balconies	1
Door bottle balcony	✔
Bottle rack	✘
Super Cool function *	✔
Ventilation	✔

Power	
AC input voltage	220 - 240 V
AC input frequency	50 Hz
Current	1.5 A
Weight & dimensions	
Width *	700 mm
Depth *	648 mm
Height *	1900 mm
Weight *	117 kg
Packaging data	
Package width	978 mm
Package depth	715 mm
Package height	715 mm
Package weight	127 kg
Other features	
No Frost system	✔
Control position	External



6901018082481

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date