


StarTech.com Docking Station USB-C per triplo monitor UHD 4K, Mac e Windows, Dock USB C a HDMI e DisplayPort, Hub a 5 porte USB 3.0 - PD 60W

Marchio : StarTech.com

Codice prodotto: DK30CH2DPPDU

Nome del prodotto : Docking Station USB-C per triplo monitor UHD 4K, Mac e Windows, Dock USB C a HDMI e DisplayPort, Hub a 5 porte USB 3.0 - PD 60W

StarTech.com Docking Station USB-C per triplo monitor UHD 4K, Mac e Windows, Dock USB C a HDMI e DisplayPort, 5x USB, PD 60W



Connettività		Software	
Tecnologia di connessione *	Cablato	Sistema operativo Windows supportato	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Interfaccia host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C		
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	4		
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo C	2		
Quantità porte HDMI *	1		
Quantità DisplayPorts	2		
Microfono, spinotto d'ingresso *	✓		
Jack combinato per microfono/auricolare	✓		
Uscite per cuffie *	1		
Connessione cuffia	3,5 mm		
Collegamento in rete		Compatibilità Mac	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura
Collegamento ethernet LAN *	✓		
Quantità porte Ethernet LAN (RJ-45)	1		
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s	Compatibilità sistema operativo Mac	ChromeOS
Standard di rete	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u		
Auto MDI/MDI-X	✓		
Full duplex	✓	Altri sistemi operativi supportati	
Prestazione			
Lettore di schede integrato *	✗		
Velocità di trasferimento dati	6 Gbit/s	Condizioni ambientali	
Risoluzione (digitale massima)	4096 x 2160 Pixel	Intervallo temperatura di funzionamento	0 - 60 °C
Blocco cavo	✓	Intervallo di temperatura	-20 - 60 °C
Colore del prodotto *	Nero, Argento	Range di umidità di funzionamento	0 - 95%
Interruttore On/Off	✓		
Supporto UASP	✓		

Prestazione		Sostenibilità	
Compatibilità marca	Ogni marca	Certificati di sostenibilità	RoHS
Certificazione	CE, FCC, TAA	Dimensioni e peso	
Gestione energetica		Larghezza	82 mm
Tensione di ingresso AC	100 - 240 V	Profondità	270 mm
Corrente d'ingresso	2 A	Altezza	34 mm
Alimentazione	60 W	Peso	385 g
Voltaggio di uscita	20 V	Dati su imballaggio	
Corrente d'uscita	6 A	Larghezza imballo	161 mm
Tipi di prese compatibili	EU, UK	Profondità imballo	296 mm
		Altezza imballo	71 mm
		Peso dell'imballo	1,45 kg
		Contenuto dell'imballo	
		Cavi inclusi	USB tipo-C
		Adattatore AC/DC	✓
		Manuale dell'utente	✓
		Dettagli tecnici	
		Certificati di conformità	RoHS
		Dati logistici	
		Quantità per cartone principale	10 pz
		Larghezza scatola principale	318 mm
		Lunghezza del cartone principale	370 mm
		Altezza scatola principale	382 mm
		Codice del Sistema Armonizzato (SA)	84733020
		Altre caratteristiche	
		Chipset	DisplayLink - DL-6950, Genesys Logic - GL3523, Texas Instruments - TPS65982, Parade Technologies - PS176
		Numero di ingressi microfono	1



0065030871143



065030871143

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-JUN-2024. Prints or copies of Information are only valid on the printed Publication date