verbatim

Verbatim Vx500 1 TB USB tipo-C 3.2 Gen 2 (3.1 Gen 2) Argento

Marchio : Verbatim

Codice prodotto: 47444

Nome del prodotto : Vx500



- Performance USB 3.2 GEN 2
- Elegante design in alluminio Space Grey
- Dimensioni ridotte 92mm x 29 mm x 9mm/ 29 grammi
- Cavi USB-C e USB-A in dotazione

1 TB, USB 3.2 Gen 2, 92mm x 29mm x 9mm
Verbatim Vx500. Capacità SSD: 1 TB. Connettore USB: USB tipo-C, Versione USB: 3.2 Gen 2 (3.1 Gen 2). Velocità di lettura: 500 MB/s, Velocità di scrittura: 440 MB/s. Velocità di trasferimento dati: 10 Gbit/s.
Colore del prodotto: Argento



Solid state drive	
SSD capacity *	1 TB
Read speed *	500 MB/s
Write speed *	440 MB/s
Ports & interfaces	
USB connector *	USB Type-C
USB version *	3.2 Gen 2 (3.1 Gen 2)
Wi-Fi *	✕
Data transfer rate	10 Gbit/s
Features	
Housing material *	Aluminium
Product colour *	Silver
Windows operating systems supported	Windows 10, Windows 11, Windows 8
Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Country of origin	China
Certification	FCC CE UKCA RoHS REACH
Operational conditions	
Operating temperature (T-T)	0 - 80 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	29 mm

Weight & dimensions	
Height	9 mm
Weight	29 g
Packaging data	
Package width	90 mm
Package depth	180 mm
Package height	30 mm
Package weight	82 g
Package type	Box
Packaging content	
Cables included	USB Type-A, USB Type-C
Logistics data	
Quantity per pack	1 pc(s)
Packs per box (outer)	2
Box (outer) per layer	120
Master (outer) cases per pallet	720 pc(s)
Layers per pallet	6 pc(s)
Products per pallet	1440 pc(s)
Master (outer) case width	195 mm
Master (outer) case length	70 mm
Master (outer) case height	70 mm
Master (outer) case gross weight	180 g
Products per master (outer) case	40 pc(s)

Weight & dimensions	
Depth	92 mm



0023942474449



023942474449



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-NOV-2024. Prints or copies of Information are only valid on the printed Publication date